

DATASHEET

Rally Bar 2

Next-generation video bar for medium to large rooms

Built on category-leading innovation, Rally Bar 2 future-proofs you for the AI revolution. It combines exceptional video and audio with industry-defining intelligence to deliver a video collaboration experience where everyone is seen and heard with impeccable detail. Featuring a sleek, low-profile design, Rally Bar 2 takes minutes to install and moments to manage.

Google Meet zoom Microsoft Teams

- **Be future-ready:** Made for what's next, Rally Bar 2 is built to enable the AI revolution in your video meetings.
- **See the details:** Bring striking video clarity with advanced wide-angle optics and AI-powered framing modes.
- **Hear everyone clearly:** Make conversations more engaging with AI-powered, studio-quality audio.
- **One bar, many spaces:** Adapts to a broad range of room sizes and configurations, including deep and wide layouts.
- **Fast setup, easy to scale:** Go from unboxing to your first meeting in minutes.

logitech



Be future-ready

Rally Bar 2 is built to be your meeting room standard for years to come. With next-generation processing power, this device excels today and is prepared for tomorrow's AI-driven meeting experiences.



See the details

Get the best view of everyone in the room with a 1" image sensor and an ultra-wide 115° FOV. The camera's AI-powered RightSight 2 technology optimizes participant framing for more productive person-to-person interactions.



Hear everyone clearly

Embedded mics and AI-powered Right Sound 3 isolate voices and eliminate background noise for remote participants. A tuned 4-speaker system maximizes clarity so in-room participants hear every word.



One bar, many spaces

By supporting PC, Android, and BYOD modes, Rally Bar 2 provides the versatility IT needs to confidently scale video deployment across the enterprise.

Easily connect additional cameras and mic pods using Logitech Link, an AV-over-IP technology for Logitech devices.



Fast to setup, easy to scale

Rally Bar 2 is designed to be installed quickly and easily by a single person with included wall mount. Easily service the video bar with a mount that pivots 90° for instant access to ports and cables.

Manage Rally Bar 2 with Logitech Sync to easily configure, monitor, and update the device. Rally Bar 2 also provides actionable insights on environmental and occupancy room data.*

*Insights through Logitech Sync require additional services

In the Box	Rally Bar 2 Wall mount HDMI cable 4 x screws 4 x wall anchors 2 x mount angle adapters Power cable External power adapter	
Dimensions	Height	97 mm (3.8 in)
	Width	860 mm (33.8 in)
	Depth	93 mm (3.7 in)
	Wall-mounted depth	99 mm (3.9 in)
	Weight	4.8 kg (10.6 lb)
System Requirements	Compatibility	For the latest information on certification and compatibility, see logitech.com/support/vc-certifications
General Specifications	Built-in components	Digital PTZ camera 2 full range ported speakers 2 tweeters Wall mount Integrated motorized privacy shutter Logitech CollabOS platform
	Enclosure	All-in-one enclosure
	Device management	Logitech Sync
	Network protocol support	IPv4, IPv6
	Proxy support	IP-based proxy, FQDN-based proxy, proxy using PAC file
Camera	Digital PTZ camera Imaging sensor: 1-inch Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps Zoom: 4X HD digital zoom Distortion-corrected field of view: Diagonal: 115° Horizontal: 103° Vertical: 60°	

Part Numbers		
Region	**Graphite**	**Off-White**
US/Canada/Mexico	960-001790	960-001804
Argentina/Chile	960-001791	960-001805
Brazil	960-001792	960-001806
Switzerland	960-001796	960-001816
South Africa	960-001793	960-001807
Indo/Korea/EU	960-001794	960-001814
HK/UK/SEA	960-001795	960-001815
ANZ	960-001797	960-001817
India	960-001799	960-001819
Taiwan	960-001801	960-001821
China	960-001802	960-001822
Japan	960-001803	960-001823

Speakers	Dual full-range ported speakers Driver: 2 x 70 mm Sensitivity: 89 dB SPL at 1W/0.5 m Rated power: 8W THD at 1W, 1 kHz <2% Dual high-frequency tweeters Driver: 2 x 31 mm Sensitivity: 93 dB SPL at 1W/0.5 m Rated power: 8W THD at 1W, 4 kHz < 2%	
Microphones	6 DMIC microphone array Frequency response: 90 Hz - 16 kHz Sensitivity: -36 dB FS +/-1 dB @ 1 Pa Microphone data rate output: 48 kHz Pickup range: Up to 7 m (23 ft) Right Sound 3: ● AI Speech Enhancement removes transient and stationary noise ● Beamforming with AI Beam Selection ● AI Speech Detection ● AI Direction of Speech ● Acoustic Echo Cancellation and Residual Echo Suppression	
Sensors	Temperature Humidity tVOC (total volatile organic compounds) Carbon dioxide PM2.5 PM10 Radar Ambient light	
Ports & Interfaces	2 x HDMI Out up to 4K@60 1 x HDMI In up to 4K@60 USB-A: 2 x USB 3.2 USB-C: 1 x USB 3.2 with DP Alt Mode Line-Out: 3.5 mm line-level audio output Network: 10/100/1G Ethernet Logitech Link: 1 x RJ45 Power	
Power and Cables	Power supply: 100-240V AC Cable: 3 m (9.8 ft) HDMI Cable: 2 m (6.6 ft)	
Environmental Security	Operating temperature	0 °C - 35 °C
	Storage temperature	-25 °C - 70 °C
	Humidity	10% - 95%
Security	File-based encryption	AES-256
	Data encryption	Symmetric Keys, PKI
	Device identity	Protected by device attestation
	Device access	Authenticated using API
	Key protection	Arm TrustZone, RPMB
	Built on MDEP	Yes
Mounting Accessories	Rally Bar 2 Table Stand Rally TV Mount 2	
Sustainability	Made with a minimum 60% Post-Consumer Recycled Plastics. Excludes packaging.	
Warranty	Standard: Two-year limited hardware warranty included Extended: Additional one-year and three-year extended warranties are available at the time of hardware purchase. Contact your reseller for availability.	

logitech

logitech.com/RallyBar2

Contact your reseller
Or contact us at
www.logitech.com/business

Logitech Americas
3930 North First Street
San Jose, CA 95134

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2026 Logitech. Logitech, Logi, Rally, and all other Logitech trademarks and logos are trademarks or registered trademarks of Logitech Europe S.A. or its affiliates in the U.S. and/or other countries. The Google Meet logo is a trademark of Google LLC. The Microsoft Teams logo is a trademark of the Microsoft group of companies. The ZOOM logo is a trademark of Zoom Video Communications, Inc. All other third-party trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing, and feature information contained herein is subject to change without notice.

Published July 2026